Indice sistematico per numeri successivi del periodico

205

QC 1 L462

N. 1 7 Maggio 1983

pag.

- S. Minami Glueballs and a tensor dominance model.
- 5 L. S. Caputi and G. Luzzi Free-sulphur presence in steels.
- 9 F. Calogero Computation of Sturm-Liouville eigenvalues via Lagrangian interpolation.
- H. Sakuyama and N. Suzuki Evidence for a new stable particle with heavy mass around 10^{17} eV.
- 21 S. Iwao Evaporation, annihilation and strong decays of long-lived quarkonia as finite-to-null and null-to-finite temperature processes.
- N. G. Antoniou, N. D. Tracas and S. D. P. Vlassopulos Possible absorptive corrections in hard-scattering processes at very high energies.

N. 2 14 Maggio 1983

pag.

- J. Blandin, R. Pons, J. Skinazi and G. Marcilhacy General solution of the Clemmow equation in a three-dimensional cold plasma, with a zerovelocity stream.
- 39 R. Bonifacio and F. Casagrande A model for superradiance and superfluorescence in free-electron lasers.
- 48 G. Rosen Spatial rotations, electromagnetic gauge transformations and the fine-structure constant.
- T. Datta The fine-structure constant, magnetic monopoles and Dirac charge quantization condition.
- 55 E. M. Santangelo Q^2 -, x_{B^-} and W^2 -dependence of hadron multiplicities and the Pati-Salam model.
- 61 G. DE Franceschi, F. Palumbo and N. Lo Iudice Two-rotor model of deformed nuclei
- 66 F. Falciglia, A. Garuccio, G. Iaci and L. Pappalardo Optical-transmittance measurement metod in the FOCA2 experiment.
- 71 C. Bergonzoni, G. Lo Vecchio and G. Morandi Spin glasses with RKKYtype interactions; numerical studies on small sample,
- 77 Y. Srivastava and A. Widom Critical-voltage law for chiral particle production near a monopole.

N. 3 21 Maggio 1983

- 81 F. PALUMBO Quantization of Galilean gauge theories.
- P. DU T. VAN DER MERWE The hydrogen atom as prototype of the large-N expansion.

- M. Macchiato and A. Tramontano Markov analysis of alpha-helical, betasheet and random coil regions of proteins.
- 95 S. Sakai Chiral property of the generalized Gross-Neveu model with $U_N \times U_N$ flavour chiral symmetry in 1+1 dimensions.
- 99 H. Minowa and N. Mishima An analysis of Smoluchowski equation for sedimentation.
- S. DE FILIPPO, M. SALERNO, G. VILASI and G. MARMO Phase manifold geometry of Burgers hierarchy.
- 111 G. C. Yang, H. C. Liu and L. F. Luo A derivation of the Cabibbo angle and quark-lepton masses from a composite model.
- J. L. Reid and P. B. Burt Generalized field theories and solutions.
- P. Siafarikas, A. Jannussis, G. Brodimas and L. Papaloucas -q-Algebras without interaction.
- 124 M. F. Marziani A connection between Borel and Padé summation techniques.

N. 4 28 Maggio 1983

pag.

- A. Scalia Heavy-ion elastic scattering and its connections with fusion and absorption processes.
- 135 J.-M. Frère and J.-M. Gérard Axions and supersymmetry.
- T. L. Chow Quantized synchrotron radiation as a cause of γ-ray bursts.
- J. Gea-Banaloche, K. Cahill, D. Rossbach and A. Comtet Energy loss by slow magnetic monopoles.
- G. Contopoulos Inverse Feigenbaum bifurcations in Hamiltonian systems.
- 156 A. SMAILAGIC Superconformal current multiplet.

N. 5 4 Giugno 1983

pag.

- M. Schmutz Construction of functional integrals for bosons and fermions from Liouville space.
- 165 PH. DROZ-VINCENT Effective potential for gravity in flat space-time.
- 169 H. ASPDEN The determination of absolute gravitational potential.
- J. Stehr and P. Weisz Note on gauge fixing in lattice QCD.
- S. K. Ghosh, A. Panatta, A. Ricchiuto and P. L. Indovina Orientational order of two spin probe molecules in para-azoxyanisole.
- Peng Hong-an, Li Jia-rong and Qiu Zhong-ping High-energy γe → Wν process with circular polarized photons and the magnetic moment of W±-bosons.
- G. Ziino Actual compatibility between three-dimensional time conjecture and experienced Doppler effect.

N. 6 11 Giugno 1983

- A. Cunsolo, A. Foti, G. Immè, G. Pappalardo, G. Raciti and N. Saunier States in ¹⁸O at high excitation energy.
- B. H. LAVENDA Exact solution to Kramers' problem of the escape across a potential barrier in the limit of small resistance.
- 205 M. Carmell The mass-energy formula in the angular-momentum representation.

- 210 H. ASPDEN The nature of the muon.
- 215 E. FICOCELLI VARRACCHIO New quantum approach to the Stark effect.
- 221 W. Konetschny Algebraic suppression of rare processes in extended technicolor.
- 225 M. Kibler and T. Negadi On the connection between the hydrogen atom and the harmonic oscillator.
- 229 J.-P. Lebrun Covariant dyon spinor field.
- 231 M. Halilson Similarity solution for the Ernst equation with electromagnetic fields.
- S. Dubnička An analysis of the third Soviet-American pion form factor data gives no support for the existence of $\rho'(1250)$.

N. 7 18 Giugno 1983

pag.

- 241 T. F. Nonnenmacher and J. D. F. Nonnenmacher Soliton solutions for a generalized Madelung fluid.
- J. Berbiers, G. Bonvicini, G. Cara Romeo, L. Cifarelli, A. Contin, M. Curatolo, G. D'Alí, C. Del Papa, B. Esposito, P. Giusti, T. Massam, R. Nania, F. Palmonari, G. Sartorelli, G. Susinno, L. Votano and A. Zichichi Studies of two-particle correlation in rapidity space in (pp) collisions at $(\sqrt{s})_{np} = 30$, 44 and 62 GeV.
- M. Basile, J. Berbiers, G. Bonvicini, G. Cara Romeo, L. Cifarelli, A. Contin, M. Curatolo, G. D'Alí, C. Del Papa, B. Esposito, P. Giusti, T. Massam, R. Nania, F. Palmonari, G. Sartorelli, G. Susinno, L. Votano and A. Zichichi A study of possible new heavy-flavour production at the CERN $(p\overline{p})$ collider.
- 267 Y. N. SRIVASTAVA and A. WIDOM Has proton had time enough to decay?
- 271 E. B. Manoukian All-order treatment of the electron propagator near the mass shell in QED.
- D. S. Kulshreshtha The form factors of π and K mesons at large momentum transfer squared.
- G. Calvi, M. Lattuada, F. Riggi, C. Spitaleri, D. Vinciguerra and D. Mi-Ljanić – Quasi-free scattering and α-d clustering probability in ⁶Li.
- 284 M. Akano Masses of fundamental bosons as composites.

N. 8 25 Giugno 1983

- G. Bonvicini, G. Cara Romeo, L. Cifarelli, A. Contin, M. Curatolo, G. D'Alí, C. Del Papa, B. Esposito, P. Giusti, T. Massam, R. Nania, G. Sartorelli, G. Susinno, L. Votano and A. Zichichi Evidence for the same inclusive fractional-energy distributions in soft (pp) interactions and in (µp) deep inelastic settering.
- 295 H. Kleinert Disclinations as origin of first-order transitions in melting.
- 300 G. MARCILHACY On the Teukolsky equation.
- 303 L. Calcagno, G. Foti and G. Strazzulla Carbon build-up by fast protons on silicon substrate in CH₄ atmosphere.
- 307 H. ASPDEN Theoretical resonances for particle-antiparticle collisions based on the Thomson eletron model.

- 312 O. FILISETTI, G. LOVERA and V. MUSSINO Correlation of cosmic-ray intensity with geomagnetic Kp index and solar-magnetic-field reversal.
- 315 A. P. Yefremov Quaternionic multiplication rule as a local Q-metric.
- 317 G. Paiano Eigenvalues of a harmonic oscillator in the ultrarelativistic limit.

N. 9 2 Luglio 1983

pag.

- 321 S. Giambò Sur l'exceptionnalitè stricte pour un fluide relativiste conducteur de chaleur.
- 325 O. P. S. Negi and B. S. Rajput Quaternionic formulation for electromagnetic-field equations.
- 330 R. Jones Cross field diffusion of a hollow magnetoplasma.
- J. Rayski and J. M. Rayski jr. A supersymmetric (N=8) classification of elementary particles in eleven dimensions.
- 337 R. M. Santilli A possible, Lie-admissible, time-asymmetric model for open nuclear reactions.
- E. RECAMI and G. D. MACCARRONE Are classical tachyons slower-than-light quantum particles?

N. 10 9 Luglio 1983

pag.

- S. Azam, Y. Nogami and N. Ohtsuka Short-range rpulsive three-body force and the point proton density of ³He.
- 357 S. Iwao $U_{6/2}$ dynamical supersymmetry in baryons.
- E. E. CAIANIELLO, G. MARMO and G. SCARPETTA Geodesic and Hamiltonian equations in quantum geometry. The identification problem.
- 365 R. GOLDONI Kepler and two-body problems in bimetric Machian gravitation.
- P. P. Delsanto, L. C. Biedenharn, M. Danos and S. Tuan Some theoretical considerations on the $\sigma(\gamma, \mathbf{p})/\sigma(\gamma, \mathbf{n})$ ratio in ⁴He.
- 375 L. Lanotte and C. Luponio Improved model for thermal treatment of metallic ribbons by continuous laser source: application to amorphous metals.
- 380 S. DE LILLO and P. SODANO Kink-size-dependent bound states in modified sine-Gordon models.

N. 11 16 Luglio 1983

- 385 T. KITAMURA and H. UMEZAWA A possibility of a lattice form in the brokenphase symmetry state.
- 391 J. Anandan and B. Lesche Interferometry in a space-time with torsion.
- 399 H. NAKATA Another method of analysing charge asymmetry data for $e^+e^- \rightarrow \mu^+\mu^-$.
- T. SAMANTA, D. SPERBER and M. ZIELINSKA-PFABE Microscopic treatment of Pauli blocking in strongly damped collisions.
- 409 A. Drago Dimensional theory and constructive mathematics.
- A. Delunas, V. Maxia, S. Serci, R. Pinna and G. Ponticelli A resonant γ-ray study of Fe (III) benzoxazole complexes.

N. 12 23 Luglio 1983

pag.

- A. Sasso and E. Arimondo Double-resonance line shapes in the presence of ATE, RATE and laser standing wave.
- 425 H. Kleinert Relation between U_1 lattice gauge theory and defect melting.
- 430 M. GIFFON and E. PREDAZZI Quantum mechanics and high-energy physics.
- M. Bartuccelli, P. Pantano and T. Brugarino Two-dimensional Burgers equation.
- 439 A. Agodi and E. Turrisi A preliminary-information theoretic analysis of seismic data on the Calabria and Sicily regions.
- D. Thangaraj and S. N. Venkatarangan Complementary variational principles for generalized Euler-Poisson-Darboux equations.

N. 13 30 Luglio 1983

pag.

- M. RAZAVY Second quantization in a box with a moving wall.
- 454 M. Yussouff Comments on microscopic mechanics, generalizations of classical mechanics and Planck's oscillators.
- 459 C. G. Koutroulos An alternative study of the propagation of the Rarita-Schwinger wave equation in the presence of an external electromagnetic field.
- 462 C. G. KOUTROULOS On the Shamaly-Capri wave equation for spin-1 particles.
- 465 R. A. Buchl and B. P. Nigam Three-quark fusion in a proton electromagnetic vertex.
- S. M. BILENKY and B. PONTECORVO Neutrino oscillations with large oscillation length in spite of large (Majorana) neutrino masses?
- W. D. Montgomery A class of self-time-reversing wave fields.
- 477 V. Carrì Sull'esistenza e l'unicità del problema di Cauchy per un fluido relativistico conduttore di calore.

N. 14 6 Agosto 1983

pag.

- R. Bonifacio A coarse grained description of time evolution: irreversible state reduction and time-energy relation.
- 490 S. M. Moore Radiation balance and the stochastic Van der Pol-Duffing equation.
- 495 Cai Xu and Liu Lian-sou On the scaling behaviour of multiplicity distribution at $\sqrt{s} = 540 \, \text{GeV}$ and the three-fireball model
- 501 E. Prugovečki Finite charge and field renormalizations in reciprocally invariant quantum electrodynamics.
- 505 A. Papp and R. M. Santilli A conceivable lattice structure of the Coulomb law.
- J. P. Hsu and T. Y. Shi Are gauge symmetry and phase invariance identical?

N.15 13 Agosto 1983

- P. P. Delsanto A graphical method to evaluate vacuum expectation values of products of creation and annihilation operators.
- 520 E. R. WILLIAMS and G. T. GILLIES Electrometer designs for use in an unbound-quark search.
- 525 S. Prakash and S. R. Roy A note on electromagnetic «tidal» force.

- 529 G. CICOGNA Periodic solutions of some nonlinear evolution equations.
- 533 G. GIAQUINTA and C. DI MAURO On the reduced diamagnetism in 2D superconductors by vortex-antivortex pair condensation.
- 539 M. Carlevaro and D. Paoletti Atospheric-pollution monitoring through conductivity measurements.
- G. E. Dorrington Spin, circulation, angular momentum and cosmological large numbers (Erratum).

N. 16 20 Agosto 1983

pag.

- R. M. Santilli Lie-isotopic lifting of the special relativity for extended deformable particles.
- 556 K. Sundermeyer Auxiliary «fields » for the massive spinning relativistic particle.
- G. Maino and A. Ventura On the parity dependence of nuclear level densities.
- J CLEYMANS and P. S. RAY An exotic decay of orthopositronium?
- 573 G. Calucci Phenomenological electromagnetism with magnetic poles.
- 576 JIA-ZHU WANG The renormalized coupling constant in an open static Einstein universe (Erratum).

N. 17 27 Agosto 1983

- T. MIYAZAKI and K. KUNIYOSHI Role of the production of a pseudoscalar meson with an e⁺e⁻-pair in e⁺e⁻ collisions,
- 583 C. Di Bartolo Quantization of the tensor gauge field of second rank in any gauge.
- A. Palumbo Nonlinear tridimensional propagation of acoustic waves in radiative gas dynamics.
- A. Papp Dispersion approach to the quantum-mechanical stability.
- P. Mukhopadhyay On the modification of the estimated masses of the cryptoexotics.
- V. DE SABBATA and M. GASPERINI The anthropic principle and the actual size of the Universe.